








Minelab Equinox 700 collapsible metal detector

255545

SRP 899,00 €

The best-selling treasure detector of all time just got better. The EQUINOX 700, driven by Minelab’s proven ground-breaking Multi-IQ technology, boasts an impressive 119 High Resolution Target ID system, superior target separation, and is fully waterproof to 5 m with IP68 rating. With upgrades like its 3-piece carbon-fibre collapsible shaft system and advanced audio controls, plus fully-loaded features including Control Pod Flashlight and Handgrip Vibration there’s never been a better time to join the Minelab EQUINOX revolution.

PRODUCT DETAILS

EXTREME PRECISION
The EQUINOX Multi-IQ engine delivers Stable IDs for even the deepest targets. Depend on solid, stable information to tell you whether to dig in or move on — when you’ve got a target, switch to Pinpoint Mode to zero-in further.

PORTABLE.
Comprising of lightweight 3-piece carbon-fiber shafts, the Equinox 700 weighs only 1.2 kg and packs down to a mere 61 cm so you can throw it in your backpack when you're on the move.

FULLY WATERPROOF.
Don't stop your search at the beach or the bank. This metal detector is fully waterproof and submersible up to up to 5 m so you can find gold, silver, jewelry, coins and other treasures underwater.

3 DETECT MODES.
Easily select from Park for high-trash areas, Field for fine coins and artifacts or Beach modes to focus on target types or ground conditions. When the sun sets use the built-in flashlight, Handgrip Vibration, Backlight Display and Keypad.

ACCURATE TARGET ID.
Confidently sort trash and treasure thanks to the fast and accurate Target ID and superior audio control that allows you to gauge size and depth (Low Latency wireless headphones included).

© 2026 ATS trade & service GmbH. All rights reserved. Specifications and design are subject to change

What's in the box

- Equinox 700 Detector
- ML 85 Headphones
- Charging Cable
- Manual
- Quick start guide

Specs

Product Attributes

EAN:	0811493017716
Manufacturer number:	3720-0005
Product weight:	1.8 kilograms

Technical specifications

Search modes:	Park, Field, Beach
Custom search profiles:	6 (2 per detect mode)
Operating frequencies:	Multi, 4, 5, 10, 15
Noise cancel:	Auto (19 Channels)
Ground Balance:	Auto, Manual, Tracking
Sensitivity:	1 to 25
Target volume:	Tone 1 adjustable: 0 to 25
Target tones:	1,2, 5, All Tones (At), Depth (dP)
Tone Pitch:	Tone 1 adjustable: 0 to 25
Threshold Level:	0 to 25
Threshold Pitch:	Fixed
Target identification:	119 ID's | Ferrous: -19 to 0 I Non-ferrous: 1 to 99
Vibration indication:	On, Off
Recovery speed:	1 to 3
Pinpoint mode:	true
Iron bias:	0 to 3
Discrimination segments:	119
Depth Indicator:	5 Levels

General

Battery type:	Built-in
Battery capacity:	5100
Battery life:	12
Charging time (0 - 100%):	6
Supplied coil:	EQX11 11" Double-D coil with skid plate
Flashlight:	On, Off

© 2026 ATS trade & service GmbH. All rights reserved. Specifications and design are subject to change

Display:	Monochrome LCD
Display/Keypad Backlight:	Off, High, Low
Product length:	Collapsed: 61 cm - Extended: 144 cm
Operation temperature:	-10-40
Storage temperature:	-20-70
IP classification:	IP68
Audio outputs:	In-built loudspeaker, Wired 3.5 mm headphones, Wireless headphones

© 2026 ATS trade & service GmbH. All rights reserved. Specifications and design are subject to change